

PIX-Belt Tension Tester




Proper belt tension is essential for optimum power transmission and also for the life of the belt. To ensure optimum V-belt drive operation, it is recommended to check the tension in the belts by measuring the deflection force value (N) with the help of a tension measuring device. Belt tension in most of the drives can be checked with adequate reliability by means of PIX Belts Tension Tester.


Tension Measurement Procedure

- 1. Measure the span-length of the Belt in mm. (refer below sketch drawings)
- 2. Tie a string or a thread on the two pulleys along with the length of the Belt and mark the center of the span on the Belt.
- 3. Calculate 1.5% of the span (say 'x') for Belt length less than 1000 mm and 1.0% of the span for Belt length more than 1000 mm. Adjust lower ring on the tension tester on the millimeter scale to coincide, "x" mm with the lower side of the ring. Adjust lower side of the upper ring at 0.00 N.
- 4. Place tension tester at the center of the span of the Belt. Apply force with the help of tension tester perpendicular to the span, till the lower surface of the lower ring touches the string.
- 5. Read the deflection force value (N) on the Newton scale by taking reading at the lower side of the upper ring.
- 6. Compare the deflection force value (N) with the values given in the Table 'A'. The deflection force value (N) should lie between the minimum and maximum values given in the Table 'A'. (Next page)
- 7. Deflection force less than the minimum recommended value in the range indicates an undertensioned drive & deflection force higher than the maximum recommended value indicates an over-tensioned drive

Important

- 1. For new Belts the deflection force value (N) should be kept at maximum.
- 2. Maximum deflection force value (N) is recommended for pulsating & shock loads.
- 3. It is recommended to re-check the Belt tension after approximately 24 hours of running and adjust the tension, if necessary.





Technical Specification

	Deflection f	orce required	for measurin	g tensio	n in V-Belt dr	rives		
	Smaller pulley diameter (mm)	С	ondition1		Condition2			
Cross Section		Deflection@	1% of span, i	f span	Deflection@1.5% of span, if span			
		length is n	nore than 100	0mm	length is less than 1000mm			
		Required d	eflection force	'F' at	Required deflection force 'F' at			
		the centre o	f span for Belt	speed	the centre of span for Belt speed			
		WRAPPI	ED - CLASSIC	AL Belts				
				< 20			< 20	
		0 m/s to	10 m/s to	m/s Range (N)	0 m/s to 10 m/s Range (N)	10 m/s to 20 m/s Range (N)	m/s Range	
		10 m/s	20 m/s					
		Range (N)	Range (N)				(N)	
z	50-100	4-6	4-5	3-4	5-8	5-7	4-5	
	100 & above	6-9	6-7	5-6	8-12	8-9	7-8	
Α	71-140	8-12	7-10	6-8	11-16	9-13	8-11	
	140 & above	12-18	10-14	8-12	16-24	13-19	11-16	
В	112-200	16-24	13-19	10-16	21-32	17-25	13-21	
	200 & above	24-35	19-29	16-24	32-47	25-39	21-32	
с	180-400	31-46	26-38	20-31	41-61	35-51	27-41	
	400 & above	46-70	38-58	31-46	61-93	51-77	41-61	
D	315-600	62-90	52-76	42-62	83-120	69-101	56-83	
	600 & above	90-134	76-115	62-90	120-179	101-153	83-120	
E	450-915	108-160	90-137	73-109	144-213	120-183	97-145	
	915 & above	160-240	137-205	109-	213-320	183-273	145-	
	313 CC 850VE	100-240	137-203	160	213-320	103-273	213	

							•		
			WR	APPED - \	WEDGE / N	ARROW B			
SPZ / 3V		63-95		3-12	7-10	6-9	11-16	9-13	8-12
	95 & above		12-17		10-16	9-14	16-23	13-21	12-19
SPA	90-140		14-20		12-17	10-14	19-27	16-23	13-19
	140 & above		20-31		17-26	14-22	27-41	23-35	19-29
SPB / 5V	140-265		25-36		20-32	18-27	33-48	27-43	24-36
	265 & above		36-46		32-41	27-37	48-61	43-55	36-49
SPC	224-355		46-66		38-58	32-52	61-88	51-77	43-69
	355 & above		66-85		58-76	52-70	88-113	77-101	69-93
91/	335-520		81-107		68-90	56-73	108-143	91-120	75-97
8V	52	520 & above		7-167	90-140	73-113	143-223	120-187	97-151
			(UT EDGE	- CLASSIC	AL V-Belts	i		
7.		40-100		5-7	5-6	3-5	6-9	6-8	5-6
ZX		100 & above		7-10	7-8	6-7	9-14	9-11	8-9
		63-140		9-14	8-12	7-9	12-18	11-15	9-12
AX		140 & above		14-21	12-16	9-14	18-28	15-21	12-18
вх		90-200		18-28	15-22	12-18	25-37	20-29	15-25
		200 & above		28-40	22-33	18-28	37-54	29-44	25-37
сх		140-400		36-53	30-44	23-36	48-71	40-58	31-48
		400 & above		53-81	44-67	36-53	71-107	58-89	48-71
		(CUT	EDGE - W	EDGE / NA	RROW V-I	Belts		
VD7 / 3		56-95		9-14	8-12	7-10	12-18	11-15	9-14
XPZ/3	, v	95 & above		14-20	12-18	10-16	18-26	15-25	14-21
V5.		71-140		16-23	14-20	12-16	21-31	18-26	15-21
XPA	`	140 & above		23-36	20-30	16-25	31-48	26-40	21-34
VDD /	=\/V	112-265		29-41	23-37	21-31	38-55	31-49	28-41
XPB / S	VA	265 & above		41-53	37-47	31-43	55-71	49-63	41-57
Vo		180-355		53-76	44-67	37-60	71-101	58-89	49-80
ХРС	•	355 & above		76-98	67-87	60-81	101-130	89-117	80-107

Note: Maximum Belt linear speed (Classical section: up to 30 m/sec, Wedge: up to 42 m/sec, Narrow: up to 45 m/sec

If you would require any additional information, please write an e-mail to us at info@pixtrans.com